




**2113-XX****2123-XX****2123-XXM****NOTES:**

Contact Resistance: 30m ohm MAX  
 Insulator Resistance: 1km ohm min @ DC 500V  
 Current Rating: 1 Amp  
 Dielectric W/S: AC 500V for 1 munute  
 Op Temp: -55c ~ +105c  
 Contact Material: Gold over Brass  
 Insulator Material: PBT & 30% Glass Fiber, UL94V-0

Do not Scale Drawings

**RoHS Compliant**  
 as of 05/04/2006

## Description:

IDC Headers

Approvals	Date
Drawn MAC	04/11 2002
Checked	
Issued	

Drawing#

Phyco  
 1740-A Junction Ave.  
 San Jose, CA 95112

**2113 Series**  
**2123 Series**

# **PHYco**

1740-A Junction Ave  
San Jose, CA 95112

Ph. 408-573-9044

Fax. 408-573-9045

May, 2006

## **PHYCO/JM, Inc.**

### **CERTIFICATE OF COMPLIANCE- RoHS Declaration**

For the following Series No's.

2113

2123

Imported By:  
Phyco/JM, Inc  
1740-A Junction Ave  
San Jose, CA 95112

This is to certify that all components used in the above listed Phyco Series' are RoHS compliant and meet the requirements of the current RoHS Directive 2002/95/EC and do not contain above the specified limits of any of the below listed banned substances.

- |  |                       |
|--|-----------------------|
| * Lead                                 | * Hexavalent Chromium |
| * Polybrominated Biphenyls (PBB)       | * Mercury             |
| * Polybrominated Diphenylethers (PBDE) | * Cadmium             |



Jennifer Mahoney  
Product Compliance Manager  
Phyco/JM, Inc.  
408-573-9044  
jpapaleo@phyco.com